

更に上のクオリティ
更に上のサービス!

問題集

ITEXAMPASS

<https://www.itexampass.jp>



1年で無料進級することに提供する

Exam : 1Z0-082

**Title : Oracle Database
Administration I**

Version : DEMO

1.You execute this command:

```
CREATE BIGFILE TABLESPACE big_tbs
    DATAFILE '/u01/oracle/data/big_f1.dbf'
    SIZE 20G;
```

Sufficient storage is available in filesystem /u01.

Which two statements are true about the BIG_TBStablespace? (Choose two.)

- A. AUTOEXTEND is possible for the datafile
- B. It must be bigger than the largest SMALLFILE tablespace
- C. Additional data files may not be added
- D. It will be a dictionary-managed tablespace by default
- E. It will always have a 32K blocksize

Answer: AB

2.Which statement is true about the INTERSECT operator used in compound queries?

- A. Multiple INTERSECT operators are not possible in the same SQL statement
- B. It processes NULLs in the selected columns
- C. INTERSECT is of lower precedence than UNION or UNION ALL
- D. It ignores NULLs

Answer: B

3.Which three statements are true about advanced connection options supported by Oracle Net for connection to Oracle Database instances? (Choose three.)

- A. Connect Time Failover requires the use of Transparent Application Failover (TAF)
- B. Source Routing requires the use of a name server
- C. Source Routing enables the use of Connection Manager (CMAN) which enables network traffic to be routed through a firewall
- D. Load Balancing can balance the number of connections to dispatchers when using a Shared Server configuration
- E. Load Balancing requires the use of a name server
- F. Connect Time Failover requires the connect string to have two or more listener addresses configured

Answer: BCF

Explanation:

Reference: https://docs.oracle.com/cd/E11882_01/network.112/e41945/advcfg.htm#NETAG013

4.Which two statements are true about date/time functions in a session where NLS_DATE_FORMAT is set to DD-MON-YYYY HH24:MI:SS? (Choose two.)

- A. CURRENT_TIMESTAMP returns the same date and time as SYSDATE with additional details of fractional seconds
- B. SYSDATE can be queried only from the DUAL table
- C. CURRENT_DATE returns the current date and time as per the session time zone
- D. SYSDATE can be used in expressions only if the default date format is DD-MON-RR
- E. SYSDATE and CURRENT_DATE return the current date and time set for the operating system of the database server

F. CURRENT_TIMESTAMP returns the same date as CURRENT_DATE

Answer: BC

5.A database is configured to use automatic undo management with temporary undo enabled.

An UPDATE is executed on a temporary table.

Where is the UNDO stored?

- A. in the undo tablespace
- B. in the SYSAUX tablespace
- C. in the SGA
- D. in the PGA
- E. in the temporary tablespace

Answer: A

Explanation:

Reference: <https://docs.oracle.com/database/121/ADMIN/undo.htm#ADMIN11478> (16.7)