

更に上のクオリティ

更に上のサービス!

問題集

ITEXAMPASS

<https://www.itexampass.jp>



1年で無料進級することに提供する

Exam : 1Z0-1084-20

**Title : Oracle Cloud Infrastructure
Developer 2020 Associate**

Version : DEMO

- 1.Which statement accurately describes Oracle Cloud Infrastructure (OCI) Load Balancer integration with OCI Container Engine for Kubernetes (OKE)? (Choose the best answer.)
- A. OKE service provisions an OCI Load Balancer instance for each Kubernetes service with LoadBalancer type in the YAML configuration.
 - B. OCI Load Balancer instance provisioning is triggered by OCI Events service for each Kubernetes service with LoadBalancertype in the YAML configuration.
 - C. OCI Load Balancer instance must be manually provisioned for each Kubernetes service that requires traffic balancing.
 - D. OKE service provisions a single OCI Load Balancer instance shared with all the Kubernetes services with LoadBalancer type in the YAML configuration.

Answer: B

Explanation:

Reference: <https://oracle.github.io/weblogic-kubernetes-operator/faq/oci-lb/>

- 2.Per CAP theorem, in which scenario do you NOT need to make any trade-off between the guarantees? (Choose the best answer.)
- A. when there are no network partitions
 - B. when the system is running in the cloud
 - C. when the system is running on-premise
 - D. when you are using load balancers

Answer: A

- 3.You have two microservices, A and B running in production. Service A relies on APIs from service B. You want to test changes to service A without deploying all of its dependencies, which includes service B. Which approach should you take to test service A? (Choose the best answer.)
- A. Test against production APIs.
 - B. Test using API mocks.
 - C. There is no need to explicitly test APIs.
 - D. Test the APIs in private environments.

Answer: B

Explanation:

Reference: <https://docs.oracle.com/cloud/apiary/tools/mock-server/index.html>

- 4.In a Linux environment, what is the default location of the configuration file that Oracle Cloud Infrastructure CLI uses for profile information? (Choose the best answer.)

- A. /etc/.oci/config
- B. /usr/local/bin/config
- C. \$HOME/.oci/config
- D. /usr/bin/oci/config

Answer: C

Explanation:

Reference:

<https://docs.cloud.oracle.com/en-us/iaas/Content/Functions/Tasks/functionsconfigureocicli.htm>

5.Which statement is incorrect with regards to the Oracle Cloud Infrastructure (OCI) Notifications service?
(Choose the best answer.)

- A. Notification topics may be assigned as the action performed by an OCI Events configuration.
- B. OCI Alarms can be configured to publish to a notification topic when triggered.
- C. An OCI function may subscribe to a notification topic.
- D. A subscription can forward notifications to an HTTPS endpoint.
- E. A subscription can integrate with PagerDuty events.

F. It may be used to receive an email each time an OCI Autonomous Database backup is completed.

Answer: E

Explanation:

Reference: <https://www.pagerduty.com/docs/guides/oracle-cloud-infrastructure/>