

更に上のクオリティ  
更に上のサービス!

問題集

**ITEXAMPASS**

<https://www.itexampass.jp>



1年で無料進級することに提供する

**Exam** : **1Z0-339**

**Title** : Oracle IdentityGovernance  
Suite 11g PS3  
Implementation Essentials

**Version** : DEMO

1. Which three role definitions can be provided to a user after he or she is assigned an admin role?

(Choose three.)

- A. Entity Catalog Administrator
- B. Entity Administrator
- C. Entity Authorizer
- D. Entity Reader
- E. Entity Role Authorizer
- F. Entity Viewer

**Answer:** A,B,C

2. A user authenticated using Oracle Access Management Console is redirected to the Oracle Identity Manager login page to enter his or her credentials.

Identify two reasons for this (Choose two.)

- A. The Oracle Virtual Directory adapters are not configured correctly.
- B. OAMIDasserter is not configured correctly in Oracle WebLogic Server.
- C. The security providers for the OIM domain are not configured correctly in Oracle WebLogic Server.
- D. A config issue in oam-config.xml is causing this.

**Answer:** C,D

3. Your customer reports duplicate account creation and the status unexpectedly getting changed along with various data corruption issues resulting due to duplicate processing. They are using push-based connectors to process reconciliation using the processReconciliationEvent API.

How can you fix this issue?

- A. Check if related batches are in the Ready For Processing status by using the following statement: `select rb_batch_status, rb_note from recon_batches where rb_batch_status = 'Ready For Processing' and rj_key = JOB_ID_ON_UI.`
- B. Set the reconciliation batch size (batchSize parameter) to 0 in the reconciliation profile of the affected resource object.
- C. Perform reconciliation twice if the size of the data is large.
- D. Modify the field length of these columns from the console and then re-create the recon profile.

**Answer:** B

4. User1 has delegated her UNIX HR production access privileges in OPAM to User2 during her time off. User2 has been informed that he would be working on a new project the following week after User1 left. To keep SOD, he decides to delegate the same privileges to User2. Later, he removes these access privileges from his list.

Now User2 needs the access restored but User1 or even User3 are available.

How can he claim back those privileges?

- A. Request access through OIM catalog. Because the privilege was originally delegated by User1, the request requires User1's manager's approval.
- B. Request access through OIM catalog. Because the privilege was originally delegated by User1, the request will be automatically approved.
- C. He can't remove a delegated access privilege. He would be able to reach the targets even if he can't

see them within his ACL.

D. The only workaround for a removed delegated privilege is to have it redelegated.

**Answer: B**

5. Identify the schema that must be installed during the upgrade process of Oracle Identity manager in addition to the existing schemas that are already installed.

A. ORASDPM schema

B. Business Intelligence Platform Schema

C. Metadata Services Schema

D. Oracle Platform Security Services Schema

**Answer: A**