

更に上のクオリティ  
更に上のサービス!

問題集

**ITEXAMPASS**

<https://www.itexampass.jp>



1年で無料進級することに提供する

**Exam** : **1Z0-899**

**Title** : Java EE 6 Web Component  
Developer Certified Expert  
Exam

**Version** : DEMO

1. Given the element from the web application deployment descriptor:

```
<jsp-property-group>  
<url-pattern>/main/page1.jsp</url-pattern>  
<scripting-invalid>true</scripting-invalid>  
</jsp-property-group>
```

And given that /main/page1.jsp contains:

```
<% int i = 12; %>  
<b> <%= i %> </b>
```

What is the result?

- A. <b> <b>
- B. <b> 12 </b>
- C. The JSP fails to execute.
- D. <% int i = 12 %>  
<b> <%= i %> < b>

**Answer: C**

2. A web application allows the HTML title banner to be set using a context initialization parameter called titlestr.

Which two properly set the title in the scenario? (Choose two)

- A. <title> \$ {titlestr} </title>
- B. <title> \$ {initparam.titlestr}</title>
- C. <title> \$ {param [0]. titlestr} </title>
- D. <title> \$ {paramValues.titleStr} </title>
- E. <title> \$ {initParam ["titleStr"]} </title>
- F. <title> \$ {servletParams.titleStr} </title>
- G. <title> \$ {request.get ("titleStr")} </title>

**Answer: BE**

3. Given:

- 11. <%
- 12. request.setAttribute ("vals", new String[] {"1", "2", "3", "4"});
- 13. request.setAttribute ("index", "2");
- 14. %>
- 15. <% - - insert code here - - %>

Which three EL expressions, inserted at line 15, are valid and evaluate to "3"? (Choose three) A. \${vals.2}

- B. \${vals ["2"] }
- C. \${vals.index}
- D. \${vals[index] }
- E. \${vals} [index]
- F. \${vals. (vals.index) }
- G. \${vals [vals[index-1]] }

**Answer: BDG**

4. Given:

```

11. <% java.util.Map map = new java.util.HashMap();
12.    request.setAttribute("map", map);
13.    map.put("a", "b");
14.    map.put("b", "c");
15.    map.put("c", "d"); %>
16. <!-- insert code here -->

```

Which three EL expressions, inserted at line 16, are valid and evaluate to "d"? (Choose three)

- A. `${map.c}`
- B. `${map.[c]}`
- C. `${map.["c"]}`
- D. `${map.map.b}`
- E. `${map.[map.b]}`
- F. `${map. (map.b)}`

**Answer:** ACE

5.You are building a dating service web site.

Part of the form to submit a client's profile is a group of radio buttons for the person's hobbies:

- 20. `<input type = 'radio' name = 'hobbyEnum' value = 'HIKING'> Hiking <br>`
- 21. `<input type = 'radio' name = 'hobbyEnum' value = 'SKING'> Sking <br>`
- 22. `<input type = 'radio' name = 'hobbyEnum' value = 'SCUBA'> SCUBA <br>`
- 23. `<! - - and more options - - >>`

After the user submits this form, a confirmation screen is displayed with these hobbies listed. Assume that an application-scoped hobbies, holds a map between the hobby enumerated type and the display name.

Which EL code snippet will display Nth element of the user's selected hobbies?

- A. `${hobbies [hobbyEnum[N]]}`
- B. `${hobbies [paramValues.hobbyEnum[N]]}`
- C. `${hobbies [paramValues @ 'hobbyEnum' @N]}`
- D. `${hobbies.get(paramValues.hobbyEnum[N]) }`
- E. `${hobbies [paramValues.hobbyEnum.get(N)] }`

**Answer:** B