

更に上のクオリティ  
更に上のサービス!

問題集

**ITEXAMPASS**

<https://www.itexampass.jp>



1年で無料進級することに提供する

**Exam** : **300-075**

**Title** : Implementing Cisco IP  
Telephony & Video, Part 2  
v1.0

**Version** : DEMO

1.Which statement is true regarding the configuration of SAF Forwarder?

- A. In a multisite dial plan, SAF Forwarders may exist in multiple autonomous systems.
- B. The client label that is configured in Cisco Unified Communications Manager must match the configuration on the SAF Forwarder router.
- C. There should not be multiple nodes of Cisco Unified Communications Manager clusters acting as SAF clients.
- D. The destination IP address must match the loopback address of the SAF router.

**Answer: A**

2.Which three devices support the SAF Call Control Discovery protocol? (Choose three.)

- A. Cisco Unified Border Element
- B. Cisco Unity Connection
- C. Cisco IOS Gatekeeper
- D. Cisco Catalyst Switch
- E. Cisco IOS Gateway
- F. Cisco Unified Communications Manager

**Answer: AEF**

3.Which component of Cisco Unified Communications Manager is responsible for sending keepalive messages to the Service Advertisement Framework forwarder?

- A. Call Control Discovery requesting service
- B. Hosted DNS service
- C. Service Advertisement Framework client control
- D. Cisco Unified Communications Manager database
- E. Service Advertisement Framework-enabled trunk
- F. gatekeeper

**Answer: C**

4.What is an advantage of TEHO?

- A. TEHO implemented with ISRs eliminates PSTN toll charges.
- B. TEHO implemented with ISRs can reduce PSTN toll charges.
- C. TEHO implemented with AAR reduces toll charges.
- D. TEHO implemented with CFUR reroutes calls.

**Answer: B**

5.Which two options are valid service parameter settings that are used to set up proper video QoS behavior across the Cisco Unified Communications Manager infrastructure? (Choose two.)

- A. DSCP for Video Calls when RSVP Fails
- B. Default Intraregion Min Video Call Bit Rate (Includes Audio)
- C. Default Interregion Max Video Call Bit Rate (Includes Audio)
- D. DSCP for Video Signaling
- E. DSCP for Video Signaling when RSVP Fails

**Answer: AC**