

更に上のクオリティ
更に上のサービス!

問題集

ITEXAMPASS

<https://www.itexampass.jp>



1年で無料進級することに提供する

Exam : **300-170**

Title : Implementing Cisco Data
Center Virtualization and
Automation

Version : DEMO

1.You discover that a VLAN is not enabled on a leaf port even though on EPG is provisioned. Which cause of the issue is most likely true?

- A. Cisco Discovery protocol is enabled in the interface policy group
- B. A VLAN pool is not defined under the associated physical domain
- C. The VLAN is not specified in a contract
- D. An interface policy must define the VLAN pool

Answer: B

Explanation:

http://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/1-x/basic-config/b_ACI_Config_Guide/b_ACI_Config_Guide_chapter_0101.pdf

2.Which option are L4-L7 devices registered as on a Cisco APIC?

- A. one virtual device
- B. a cluster
- C. one physical device
- D. more virtual devices

Answer: B

3.Which configuration is needed to extend the EPG out of the Cisco ACI fabric?

- A. Create external bridged networks
- B. Statically assign a port to EPG
- C Apply a policy between the internal and the external EPG
- D. Extend the tenant subnet of the bridge domain out of the fabric

Answer: B

4.The behavior of which packet type can be controlled by selecting unicast mode or flood mode in a bridge domain?

- A. ARP
- B. unknown unicast
- C. LLDP
- D. CDP

Answer: B

5.You deploy a Cisco Nexus 1000V Series Switch that has VXLAN support. You must ensure that baremetal servers and virtual servers can communicate.

Which technology must you implement?

- A. Cisco Nexus Cloud Service Platform
- B. A-FGX
- C. SGT
- D. VM-FEX

Answer: D