

更に上のクオリティ
更に上のサービス!

問題集

ITEXAMPASS

<https://www.itexampass.jp>



1年で無料進級することに提供する

Exam : **300-180**

Title : Troubleshooting Cisco Data
Center Infrastructure

Version : DEMO

- 1.Which piece of information does the FSM provide?
- A. the current task and status
 - B. a collection of blade statistics
 - C. the last user to access the resource
 - D. a list of faults currently suppressed by the Cisco UCS Manager

Answer: A

- 2.Which of these does not have an FSM associated with it?
- A. vCenter connection
 - B. service profile
 - C. server hardware
 - D. service profile templates

Answer: D

- 3.Refer to the exhibit.



Which tab would be the most useful for troubleshooting a blade discovery problem?

- A. Faults
- B. Events
- C. FSM
- D. Servers

Answer: C

4.RBAC is a method of restricting access for a particular user on which two of these? (Choose two.)

- A. roles
- B. realm
- C. locales
- D. RADIUS
- E. LDAP

Answer: AC

5.A customer is configuring LAN pin groups in a Cisco UCS domain. The customer has two fabric interconnects and would like to associate the pin group with only one interconnect.

Which statement about this configuration is true?

- A. In a system with two fabric interconnects, you can associate the pin group with only one fabric interconnect, and the other fabric interconnect will not be usable.
- B. In a system with two fabric interconnects, you can only associate the pin group with both fabric interconnects; you cannot associate the pin group with only one fabric interconnect.
- C. In a system with two fabric interconnects, you can associate the pin group with only one fabric interconnect or with both fabric interconnect. This is a supported configuration.
- D. This configuration is not supported in a Cisco UCS domain.

Answer: C