更に上のクオリティ
更に上のサービス!

問題集

ITEXAMPASS

１年で無料進級することに提供する

Exam : **642-980**

Title : Troubleshooting Cisco Data Center Unified Fabric

Version : Demo

1.Which command displays the traffic statistics for a port channel interface?

A. show interface port-channel channel-number

B. show port-channel traffic

C. show port-channel usage

D. show port-channel compatibility-parameters

Answer: B

2.Which statement is true regarding LACP configuration?

A. With LACP, you can bundle up to 16 interfaces in a channel group.

B. LACP configuration is global and can be only configured by admin.

C. After removing LACP configuration, you need to reboot the device.

D. You can disable LACP while any LACP configurations are present.

Answer: A

3.Which two statements are true regarding vPC configuration? (Choose two.)

A. With vPC, there are no blocked ports.

B. vPC uses hash-based EtherChannel load balancing.

C. There are STP-blocked redundant links.

D. There is VLAN-based load balancing.

E. There is higher oversubscription.

Answer: A,B

4.Refer to exhibit.

Customer has a pair of Cisco Nexus7010s switches and connected to a single Cisco Nexus5548 switch via vPC. Customer has a combination of M1 and F1 I/O Modules in Cisco Nexus7010s.

Why is the design described not supported?

A. Mixing I/O Modules on the Same Side of a Peer Link is not supported

B. vPC does not support split control plane

C. You can not configure a vPC peer link to configure two devices as vPCs

D. Need to add another Cisco Nexus5548 switch to the topology to make this work.

Answer: A

5.What is one requirement for running FabricPath on a Cisco Nexus 7000 Series switches?

A. You must have an F Series module

B. You must run NX-OS version 4.2 to run FabrciPath

C. ISSU needs to be disabled to run FabricPath

D. LAN_TRANSPORT_SERVICES_PKG licenseneeds to be installed to run FabrciPath

Answer: A