

更に上のクオリティ  
更に上のサービス!

問題集

**ITEXAMPASS**

<https://www.itexampass.jp>



1年で無料進級することに提供する

**Exam** : **648-385**

**Title** : CXFF-Cisco Express  
Foundation for Field  
Engineers

**Version** : DEMO

1.Which two of the following statements about the Cisco switching product portfolio are correct? (Choose two.)

- A.The Cisco Catalyst 3560 v2 and Cisco Catalyst 3560-X are stackable.
- B.The Cisco Catalyst 3750 v2 and Cisco Catalyst 3750-X are stackable.
- C.The Cisco Catalyst 2000 series support 802.1X and MACsec encryption.
- D.The Cisco Catalyst 2000 series support PoE and PoE+, but they do not support 60 W per port like the Cisco Catalyst 3000 and Cisco Catalyst 4000 series.

**Answer: BD**

2.Which two of the following statements correctly describe service modules available for the 3560-X and 3750-X switches? (Choose two.)

- A.The C3KX-NM-10GT service module offers two 10 Gigabit Ethernet SFTP+ ports.
- B.The C3KX-NM-10G and the C3KX-NM-10GT service modules provide flexible netflow.
- C.The C3KX-SM-10G service module provides flexible netflow.
- D.The C3KX-SM-10G service module offers MACsec encryption at line rate.

**Answer: CD**

3.Which two of the following are unique advantages of the PD/PSE Cisco Catalyst Compact Switches? (Choose two.)

- A.Due to the fanless design, they can be placed in the workplace and drastically reduce in-house cabling needs.
- B.They support 16 PoE output ports.
- C.They support PoE+ output.
- D.They diminish the power infrastructure by supporting PoE+ input and PoE output at the same time.

**Answer: AD**

4.Which two security features are part of the Cisco Catalyst Integrated Security Toolkit, which is available on almost all Cisco Catalyst switches? (Choose two.)

- A.IP source guard
- B.static ARP inspection
- C.MACsec
- D.DNS snooping
- E.SGACL
- F.port security

**Answer: AF**

5.Which two configurations are performed on Cisco IOS routers when using Cisco AutoSecure? (Choose two.)

- A.ICMP is globally disabled.
- B.Directed broadcasts are globally disabled.
- C.Source routing is globally disabled.
- D.Proxy ARP is disabled on all interfaces.

**Answer: CD**

6.Which statement about Cisco Prime is true?

- A.It provides simple and efficient management across architectures, networks, and services.
- B.It provides simple and efficient management of security services.
- C.It provides management services for all TrustSec products.
- D.It is an expert-level monitoring and troubleshooting tool based on Cisco SIO.

**Answer:** A

7.Which two of the following are components of Cisco MediaNet that simplify network assessment, monitoring, and troubleshooting? (Choose two.)?

- A.MediaTrace
- B.MediaPing, using real SSRC-ID
- C.Traffic Simulator, based on IP SLA
- D.Traffic Simulator, based on ping

**Answer:** AC

8.Which three of the following statements are correct regarding security features available on Cisco Catalyst switches? (Choose three.)

- A.Port security prevents MAC address flooding.
- B.DHCP snooping prevents rogue DHCP servers from being placed on the network.
- C.IP Source Guard prevents ARP spoofing attacks.
- D.Private VLAN prevents client to client communication.
- E.MACsec provides end-to-end encryption.

**Answer:** ABD

9.Cisco MediaNet provides multimedia optimization services in a Cisco Borderless Network.Which two of the following statements correctly describe Cisco MediaNet? (Choose two.)?

- A.Cisco MediaNet Performance Monitor collects performance metrics of video traffic as flexible netflow records which can be processed by any netflow collector, such as Cisco Prime Assurance Manager.
- B.Cisco MediaNet supports only SNMP traps but not syslog messages.
- C.When using PVD3 on Cisco ISR G2, video streams of the same type can be locally mixed within the router.Video transcoding services require a dedicated video MCU.
- D.Cisco MediaNet Mediatrace allows real-time troubleshooting by providing details about every hop of the end-to-end path of your mediastream.

**Answer:** AD

10.Which two of the following statements correctly describe Cisco Prime features that help improve operational efficiency? (Choose two.)

- A.The Cisco Prime user interface is optimized for touchscreens.
- B.All components of the Cisco Prime for Enterprise product portfolio provide a common look and feel, which simplifies usability.
- C.Integrated workflows and best practices enable quick and error-free deployment.
- D.TrustSec, MediaNet, and EnergyWise services are only configured outside Work Centers in Cisco Prime LMS.

**Answer:** BC