

更に上のクオリティ  
更に上のサービス!

問題集

**ITEXAMPASS**

<https://www.itexampass.jp>



1年で無料進級することに提供する

**Exam** : **DES-1721**

**Title** : Specialist – Implementation  
Engineer, SC Series Exam

**Version** : DEMO


1.You are installing a new SC9000.

Which procedure should be used to install and configure the system?


- A. Connect through the iDRAC port
- B. Connect through a null modem cable to the serial port
- C. Connect through the Dell Storage Manager Client
- D. Connect through the supplied proprietary serial cable to the serial port

**Answer: D**


2.Based on SAS back-end cabling best practices, which configuration represents how an SC4020 storage array with one SC220 expansion enclosure is cabled?




**Configuration B:**



**Configuration C:**



Configuration D:



- A. Configuration A
- B. Configuration B
- C. Configuration C
- D. Configuration D

**Answer: A**

3. An administrator wants to configure an SC Series array to use Virtual Port Mode.

What is a requirement to accomplish this task?

- A. NPIV must be disabled on Fibre Channel switches
- B. I/O Controller cards must use a single-ID firmware version
- C. Fibre Channel switches must use a switched fabric topology
- D. Activation license must be purchased and installed

**Answer: D**

4. What are the possible methods to upgrade the firmware on a Brocade switch?

- A. FTP, SFTP, and Web Tools
- B. USB, FTP, and SFTP
- C. USB, FTP, and Web Tools
- D. USB, SFTP, and Web Tools

**Answer: C**

5. A customer is running the Dell Storage Manager (DSM) Suite as a software stack on Microsoft Windows.

To reduce the Microsoft licensing costs, the customer wants to switch to the DSM Virtual Appliance.

Which recommended deployment should the customer use?

- A. Configure as a Primary Data Collector
- B. Configure as a Remote Data Collector
- C. Migrate the DSM database manually
- D. Migrate from the existing Data Collector

**Answer: D**