

更に上のクオリティ  
更に上のサービス!

問題集

**ITEXAMPASS**

<https://www.itexampass.jp>



1年で無料進級することに提供する

**Exam** : **MuleSoft Certified  
Platform Architect-Level1**

**Title** : MuleSoft Certified Platform  
Architect - Level 1

**Version** : DEMO

1.What API policy would LEAST likely be applied to a Process API?

- A. Custom circuit breaker
- B. Client ID enforcement
- C. Rate limiting
- D. JSON threat protection

**Answer: D**

**Explanation:**

Reference: <https://docs.mulesoft.com/api-manager/2.x/policy-mule3-provided-policies>

2.What is a key performance indicator (KPI) that measures the success of a typical C4E that is immediately apparent in responses from the Anypoint Platform APIs?

- A. The number of production outage incidents reported in the last 24 hours
- B. The number of API implementations that have a publicly accessible HTTP endpoint and are being managed by Anypoint Platform
- C. The fraction of API implementations deployed manually relative to those deployed using a CI/CD tool
- D. The number of API specifications in RAML or OAS format published to Anypoint Exchange

**Answer: D**

**Explanation:**

Reference: <https://help.mulesoft.com/s/question/0D52T00004mXSTUSA4/how-should-a-company-measure-c4e-success>

3.An organization is implementing a Quote of the Day API that caches today's quote.

What scenario can use the CloudHub Object Store via the Object Store connector to persist the cache's state?

- A. When there are three CloudHub deployments of the API implementation to three separate CloudHub regions that must share the cache state.
- B. When there are two CloudHub deployments of the API implementation by two Anypoint Platform business groups to the same CloudHub region that must share the cache state.
- C. When there is one deployment of the API implementation to CloudHub and another deployment to a customer-hosted Mule runtime that must share the cache state.
- D. When there is one CloudHub deployment of the API implementation to three CloudHub workers that must share the cache state.

**Answer: C**

4.What condition requires using a CloudHub Dedicated Load Balancer?

- A. When cross-region load balancing is required between separate deployments of the same Mule application
- B. When custom DNS names are required for API implementations deployed to customer-hosted Mule runtimes
- C. When API invocations across multiple CloudHub workers must be load balanced
- D. When server-side load-balanced TLS mutual authentication is required between API implementations and API clients

**Answer: B**

5.What do the API invocation metrics provided by Anypoint Platform provide?

- A. ROI metrics from APIs that can be directly shared with business users
- B. Measurements of the effectiveness of the application network based on the level of reuse
- C. Data on past API invocations to help identify anomalies and usage patterns across various APIs
- D. Proactive identification of likely future policy violations that exceed a given threat threshold

**Answer:** C

**Explanation:**

Reference: <https://usermanual.wiki/Document/APAAppNetstudentManual02may2018.991784750.pdf>