

更に上のクオリティ
更に上のサービス!

問題集

ITEXAMPASS

<https://www.itexampass.jp>



1年で無料進級することに提供する

Exam : **PCNSE**

Title : Palo Alto Networks Certified
Network Security Engineer
Exam

Version : DEMO

1.While analyzing the Traffic log, you see that some entries show "unknown-tcp" in the Application column What best explains these occurrences?

- A. A handshake took place, but no data packets were sent prior to the timeout.
- B. A handshake took place; however, there were not enough packets to identify the application.
- C. A handshake did take place, but the application could not be identified.
- D. A handshake did not take place, and the application could not be identified.

Answer: C

2.A network security engineer wants to prevent resource-consumption issues on the firewall.

Which strategy is consistent with decryption best practices to ensure consistent performance?

- A. Use RSA in a Decryption profile for higher-priority and higher-risk traffic, and use less processor-intensive decryption methods for lower-risk traffic
- B. Use PFS in a Decryption profile for higher-priority and higher-risk traffic, and use less processor-intensive decryption methods for tower-risk traffic
- C. Use Decryption profiles to downgrade processor-intensive ciphers to ciphers that are less processor-intensive
- D. Use Decryption profiles to drop traffic that uses processor-intensive ciphers

Answer: B

3.Which statement accurately describes service routes and virtual systems?

- A. Virtual systems that do not have specific service routes configured inherit the global service and service route settings for the firewall.
- B. Virtual systems can only use one interface for all global service and service routes of the firewall.
- C. Virtual systems cannot have dedicated service routes configured; and virtual systems always use the global service and service route settings for the firewall.
- D. The interface must be used for traffic to the required external services.

Answer: B

4.What are two best practices for incorporating new and modified App-IDs? (Choose two)

- A. Configure a security policy rule to allow new App-IDs that might have network-wide impact
- B. Study the release notes and install new App-IDs if they are determined to have low impact
- C. Perform a Best Practice Assessment to evaluate the impact or the new or modified App-IDs
- D. Run the latest PAN-OS version in a supported release tree to have the best performance for the new App-IDs

Answer: A,B

5.Which CLI command is used to determine how much disk space is allocated to logs?

- A. show logging-status
- B. show system info
- C. debug log-receiver show
- D. show system logdfo-quota

Answer: D